Journal of Community Action
Vol. 2 No. 3, July, pages: 117-124
e-ISSN 3110-2549 | DOI: https://doi.org/10.70716/joca.v2i3.363

Sustainable Fisheries and Community Nutrition Improvement

Rafi Ahmad[1*], Nadia El-Masry[2]
[1]Department of Fisheries Socio-Economics, Universitas Mataram, Mataram, Indonesia
[2] Department of Marine Biology, Alexandria University, Alexandria, Egypt
**Corresponding Author: rafiahmed.20@gmail.com*

Article History
Manuscript submitted:
15 May 2026
Manuscript revised:
29 June 2026
Accepted for publication:
25 July 2025

Keywords
sustainable fisheries, community nutrition, food security, marine protected areas, blue food systems

Abstract
This study examines the relationship between sustainable fisheries and community nutrition improvement using a systematic literature review approach. The analysis integrates findings from peer-reviewed studies, policy reports, and empirical research on fisheries management, marine ecosystems, and nutritional outcomes. A total of 19 selected references were analyzed using thematic synthesis across ecological, socioeconomic, and nutritional dimensions. Results show that sustainable fisheries management, particularly through marine protected areas, can increase fish biomass by up to 15 percent and fish catch by up to 20 percent. These ecological improvements directly enhance food availability in coastal communities. Fisheries also contribute to poverty reduction by providing stable livelihoods and income sources, which improve household food security. In addition, fish consumption significantly enhances dietary diversity and micronutrient intake, especially in vulnerable populations. However, challenges remain in distribution systems, where export-oriented supply chains limit local access to nutritious fish. Community-based innovations such as small-scale aquaculture and fish processing technologies improve food access and reduce post-harvest losses. The study concludes that sustainable fisheries function as an integrated system linking ecosystem health, economic stability, and human nutrition. Policy integration between fisheries management and public health is essential to maximize nutritional benefits and ensure equitable food access in coastal regions.

Copyright © 2026, The Author(s)
This is an open access article under the CC BY-SA license

How to Cite: Ahmad, R., & El-Masry, N. (2026). Sustainable Fisheries and Community Nutrition Improvement. *Journal of Community Action, 2*(3), 117-124. https://doi.org/10.70716/joca.v2i3.363

Introduction

Sustainable fisheries play a critical role in global food and nutrition systems. Fish provides high-quality animal protein and essential micronutrients that support human health, particularly in coastal communities. These nutrients include omega-3 fatty acids, iron, zinc, and vitamin A. Deficiency in these nutrients is strongly associated with stunting, anemia, and reduced cognitive development. Coastal populations depend heavily on fisheries for daily food intake, income, and livelihood stability.

However, global fisheries are under increasing pressure. Overfishing, climate change, habitat destruction, and pollution reduce fish stock availability. These pressures directly affect food security and nutritional outcomes in vulnerable regions (Golden et al., 2016). Declining fish stocks reduce access to

affordable protein sources, especially for low-income households. This situation creates a nutrition gap that cannot be filled easily by alternative food systems.

Recent evidence shows that sustainable fisheries management can improve both ecological and nutritional outcomes. Marine protected areas (MPAs) are one of the most effective tools. Viana et al. (2024) demonstrate that sustainable-use MPAs can increase fish biomass by up to 15 percent and fish catch by up to 20 percent. These improvements contribute directly to increased food availability in coastal regions. The results show a clear link between ecosystem protection and human nutrition outcomes.

Fisheries also contribute to poverty reduction. Martuscelli (2022) finds that fishing households often experience lower poverty rates compared to non-fishing households. This is because fisheries provide both income and direct food access. When managed sustainably, fisheries act as a dual system of economic support and nutrition provision. This dual role is critical for coastal development strategies.

At the global level, fisheries are increasingly recognized as part of "blue food systems." Olsen et al. (2025) emphasize that blue food systems integrate ecological sustainability with nutritional goals. Fish consumption contributes significantly to dietary diversity and micronutrient intake (Gul et al., 2024). This makes fisheries a strategic sector for achieving global nutrition security and Sustainable Development Goals.

Despite these benefits, access to fish is not evenly distributed. Mauli et al. (2023) show that supply chain policies often prioritize export markets rather than local consumption. This creates inequality in food access, even in fish-rich regions. As a result, communities near marine resources may still experience malnutrition.

Community-based innovations offer alternative solutions. Indrayani (2023) demonstrates that small-scale aquaculture systems, such as bucket fish farming, improve household food security. Similarly, fish processing and preservation technologies enhance food availability and reduce waste (Sari et al., 2025). These approaches strengthen local food systems and reduce dependency on external markets.

Policy integration is also essential. Vianna et al. (2020) argue that fisheries should be treated as a public health resource, not only an economic sector. Climate change adds further complexity, requiring adaptive governance systems (Bennett et al., 2025). Without policy integration, fisheries cannot fully contribute to nutrition improvement.

Although many studies address fisheries or nutrition separately, fewer studies integrate ecological, economic, and nutritional dimensions into one framework. This research addresses that gap by synthesizing empirical evidence to explain how sustainable fisheries improve community nutrition through ecological recovery, improved governance, and enhanced food access.

Methodology

This study applies a systematic literature review approach to examine the relationship between sustainable fisheries and community nutrition improvement. The approach integrates empirical findings from peer-reviewed journals, policy papers, and academic repositories. The goal is to construct a comprehensive understanding of how fisheries management influences nutritional outcomes in coastal populations.

The data collection process involved identifying relevant studies that focus on fisheries sustainability, marine ecosystem management, food security, and nutrition outcomes. Literature was selected from indexed academic sources with valid Digital Object Identifiers (DOIs). Priority was given to recent publications between 2010 and 2025 to capture current scientific developments.

The selection criteria included three main aspects. First, studies must address sustainable fisheries, aquaculture, or marine resource management. Second, studies must include outcomes related to food security, nutrition, or household welfare. Third, studies must provide empirical evidence, either

quantitative or qualitative, supporting the relationship between fisheries and nutrition outcomes. Studies that did not meet these criteria were excluded.

A total of 19 core references were included in the final synthesis. These studies cover multiple geographic regions, including Africa, Asia, Latin America, and global assessments. This geographic diversity allows for a broader understanding of fisheries-nutrition relationships across different socio-ecological systems.

Data extraction was conducted systematically. Each study was reviewed to identify key variables, including research design, methodological approach, ecological outcomes, economic impacts, and nutritional effects. For example, Viana et al. (2024) provided ecological modeling results linking MPAs to increased fish biomass. Martuscelli (2022) provided household-level economic data linking fisheries to poverty reduction. Gul et al. (2024) contributed global nutritional analysis of fish consumption.

The analysis process followed a thematic synthesis approach. Extracted data were categorized into three main themes: ecological sustainability, socioeconomic impacts, and nutritional outcomes. Ecological sustainability includes fish stock recovery, marine conservation, and habitat protection. Socioeconomic impacts include income generation, livelihood stability, and poverty reduction. Nutritional outcomes include dietary diversity, micronutrient intake, and food security.

The synthesis process involved comparing findings across studies to identify consistent patterns. Similar results were grouped to determine the strength of relationships between variables. For instance, multiple studies confirmed that improved fisheries management increases fish availability and dietary intake (Viana et al., 2024; Gul et al., 2024; Kura & Kawarazuka, 2024).

A conceptual framework was then developed. This framework links sustainable fisheries management to ecological recovery, which leads to increased fish availability. Increased availability improves household consumption and market access. This ultimately leads to improved nutritional outcomes, particularly in vulnerable coastal populations.

The methodological approach also considers limitations. One limitation is the reliance on secondary data, which may vary in methodological quality. Another limitation is the lack of uniform nutritional measurement across studies. Despite these limitations, thematic synthesis allows for robust cross-study comparison.

Overall, this methodology provides a structured and systematic way to understand the complex relationship between fisheries sustainability and nutrition improvement. It integrates ecological, economic, and health perspectives into one analytical framework.

Results and Discussion

Sustainable Fisheries and Community Nutrition Improvement

The analysis shows that sustainable fisheries contribute directly to community nutrition through three main pathways: food availability, dietary diversity, and household income stability. These pathways operate through ecological sustainability, governance quality, and market access.Small-scale fisheries play a central role in supplying affordable animal protein and micronutrients. Evidence shows that fish consumption improves child nutrition outcomes in coastal and riverine communities. Nutrition-sensitive fisheries programs also strengthen household food security when governance supports equitable access and sustainable harvesting practices (Islam et al., 2013).

The synthesis of selected studies reveals a consistent relationship between sustainable fisheries management and improved community nutrition. This relationship operates through ecological, economic, and social pathways. The findings demonstrate that fisheries are not only a source of food but also a structural determinant of nutritional outcomes in coastal populations (Hicks et al., 2019).

Results and Discussion: Sustainable Fisheries and Community Nutrition Improvement

The analysis indicates that sustainable fisheries contribute to community nutrition through three interconnected pathways: food availability, dietary diversity, and household economic stability. These pathways operate through the interaction between ecological sustainability, governance systems, and market structures. Small-scale fisheries remain a primary source of affordable animal protein in coastal and inland communities. When fish stocks are managed sustainably, communities experience more stable access to nutrient-rich food. This stability reduces seasonal food shortages and strengthens household food security (Bakhsh et al., 2023).

Empirical evidence shows that nutrition-sensitive fisheries interventions improve dietary outcomes at the community level. Studies in coastal Kenya demonstrate that integrated fisheries and nutrition programs support better child growth outcomes through improved food access and nutrition education. Global evidence also confirms that sustainable fisheries and aquaculture systems play a significant role in reducing micronutrient deficiencies, especially in low-income populations where fish is a primary protein source. In addition, household-level studies show that regular fish consumption reduces poverty vulnerability by improving food security and lowering the risk of dietary inadequacy. These findings confirm that fisheries contribute not only to food supply but also to nutrition quality (Blackmore et al., 2022).

Fish supply chain systems also influence community nutrition outcomes. Policy-oriented studies show that strengthening fish distribution systems improves access to affordable and safe fish products. Improved supply chains increase dietary diversity by making fish more consistently available in both rural and urban markets. In coastal communities, empowerment-based fisheries programs also increase awareness of nutrition and encourage higher fish consumption. These interventions demonstrate that nutrition improvement is not only determined by production but also by distribution and consumption behavior.

Marine ecosystem management further strengthens nutrition outcomes. Evidence from marine protected areas shows that ecosystem conservation supports fish stock recovery and stabilizes long-term food availability. Healthy marine ecosystems ensure continuous access to aquatic foods, which directly supports community nutrition security. Without ecological protection, declining fish stocks reduce both income and food intake, especially for small-scale fishers who depend on daily catches for consumption and income generation.

From a socioeconomic perspective, fisheries contribute to nutrition improvement through income generation. Households engaged in fisheries activities tend to have higher purchasing power, which allows them to diversify diets beyond fish products. Income from fisheries also reduces food insecurity during lean seasons and increases access to health services and education, which indirectly supports nutritional outcomes. This economic pathway strengthens the role of fisheries as both a food source and a livelihood system.

Governance quality plays a central role in determining sustainability and nutrition outcomes. Weak governance systems often lead to overfishing, resource depletion, and unequal access to aquatic resources. In contrast, participatory governance models involving local fishers improve compliance with regulations and support sustainable harvesting practices. These governance structures ensure long-term ecosystem productivity and protect community access to food resources.

Overall, sustainable fisheries systems improve community nutrition through integrated ecological, economic, and governance mechanisms. The findings show that fisheries should be positioned as part of a broader food system strategy rather than a standalone production sector. Integration of fisheries policy with nutrition and public health programs strengthens food security outcomes and supports long-term improvements in community well-being.

Ecological Pathway: Fish Stock Recovery and Availability

One of the most significant findings is the role of ecosystem recovery in improving fish availability. Viana et al. (2024) show that marine protected areas can increase fish biomass by up to 15 percent. This increase directly translates into higher fish catches, which may rise by up to 20 percent. These ecological gains are critical for communities that rely on small-scale fisheries for daily consumption.

Dzikamai (2023) supports this finding by emphasizing that holistic fisheries management improves stock sustainability. Restoration strategies ensure that fish populations remain stable over time. Stable ecosystems reduce the risk of collapse and maintain long-term food availability.

Olsen et al. (2025) further explain that balanced ecological management is necessary for sustainable blue food systems. Without ecological balance, increases in fish demand can lead to resource depletion. Therefore, ecological sustainability is the foundation of nutrition security in fisheries-dependent regions.

Socioeconomic Pathway: Livelihoods and Poverty Reduction

Fisheries also influence nutrition through economic mechanisms. Martuscelli (2022) provides strong evidence that fishing households experience lower poverty rates compared to non-fishing households. Income from fisheries allows households to purchase diverse food items, improving dietary quality.

Bradford (2025) highlights that sustainable fishing communities benefit from stable livelihoods. Economic stability reduces vulnerability to food insecurity. When income is stable, households are more likely to maintain regular food consumption patterns.

Hemprabha (2024) adds another dimension by showing that fish byproducts can be converted into economic value. Waste utilization improves income generation while reducing resource loss. This strengthens the economic resilience of fishing communities.

Nutritional Pathway: Dietary Diversity and Micronutrient Intake

Fish consumption plays a direct role in improving nutrition. Gul et al. (2024) show that fish contributes essential micronutrients that are often missing in plant-based diets. These include omega-3 fatty acids, zinc, and iron. These nutrients are essential for cognitive development and immune function.

Kura and Kawarazuka (2024) emphasize that fish is a central component of global blue food systems. These systems improve dietary diversity, particularly in low-income regions. Dietary diversity is strongly linked to improved nutritional outcomes.

Fiorella et al. (2016) provide household-level evidence showing that local fish consumption improves nutritional status. Communities with higher fish intake show better health indicators, including reduced malnutrition rates.

Food Access and Distribution Inequality

Despite ecological and nutritional benefits, access to fish remains unequal. Mauli et al. (2023) show that supply chains often prioritize export markets. This reduces local availability of nutritious fish in producing regions. Ojeda-Flores et al. (2025) argue that governance systems must ensure equitable distribution of marine resources. Without equitable policies, nutritional benefits are not fully realized. This creates a paradox where fish-rich regions still experience malnutrition. Berkström et al. (2024) emphasize the importance of securing access to aquatic foods. Policy interventions must ensure that local populations benefit directly from marine resources.

Community-Based Solutions and Innovation

Community-based interventions provide practical solutions to nutrition challenges. Indrayani (2023) shows that small-scale aquaculture systems such as budikdamber improve household food security.

These systems allow families to produce fish independently, reducing reliance on markets. Sari et al. (2025) demonstrate that natural preservation technologies improve fish storage and quality. This reduces post-harvest losses and increases food availability in rural areas. Sakai (2012) highlights the importance of fish processing technology transfer. Technology improves product value and enhances income generation, which indirectly improves nutrition.

Policy Integration and Governance

Policy plays a central role in linking fisheries and nutrition. Vianna et al. (2020) argue that fisheries should be integrated into public health strategies. This approach recognizes fish as a nutritional asset rather than only an economic commodity. Bennett et al. (2025) highlight the need for adaptive governance under climate change. Climate impacts reduce fish availability, requiring flexible management systems. Tarno (2025) emphasizes that fisheries are essential for national food security strategies. Governments must integrate fisheries into broader food policy frameworks.

Integrated Conceptual Model

Figure 1. Conceptual of integral model



The findings support an integrated model where ecological sustainability leads to increased fish availability. Increased availability improves household consumption and market access. Improved access enhances dietary diversity and micronutrient intake. Economic stability reinforces this cycle by increasing purchasing power. This model shows that fisheries operate as a multi-dimensional system that connects ecosystems, economies, and nutrition outcomes. Effective management must address all three dimensions simultaneously.

Conclusion

Sustainable fisheries play a critical role in improving community nutrition through stable food supply, especially in coastal and fish-dependent populations. The evidence shows that well-managed fisheries increase access to affordable, high-quality animal protein and essential micronutrients. This contributes directly to better dietary intake and reduced malnutrition in vulnerable groups. The study highlights that sustainability in fisheries depends on balanced resource use, ecosystem protection, and effective governance. Overexploitation and weak management reduce long-term food availability and weaken nutrition outcomes. In contrast, community-based and nutrition-sensitive fisheries systems strengthen both ecological resilience and food security.

The integration of fisheries management with public health and food systems planning is essential. Policies that support small-scale fishers, improve distribution networks, and promote equitable access to fish products produce stronger nutritional impacts at household level. Education on fish consumption and value chain improvement also enhances dietary diversity.Sustainable fisheries play a central role in improving community nutrition. Ecological restoration through marine protected areas increases fish biomass and stabilizes fish catches. This improves food availability for coastal populations. Economic benefits are equally important. Fishing households gain income stability, which improves food access and

dietary quality. Fisheries therefore function as both food and livelihood systems.Fish consumption contributes directly to nutritional improvement. It provides essential micronutrients that support human health and development. Communities with higher fish intake show better nutrition outcomes.

However, distribution inequality limits the full benefit of fisheries. Export-oriented systems reduce local access to nutritious fish. Policy reforms are needed to prioritize local food security. Community-based innovations such as small-scale aquaculture and fish preservation technologies provide practical solutions. These approaches strengthen household resilience and food independence. Sustainable fisheries must be integrated into national nutrition and food security policies. A systems-based approach that combines ecology, economy, and governance is essential for long-term impact.

References

Allison, E. H., & Horemans, B. (2006). Putting the principles of the sustainable livelihoods approach into fisheries development policy and practice. *Marine Policy, 30*(6), 757–766. https://doi.org/10.1016/j.marpol.2006.02.001

Bakhsh, M., Ghazali, M. H., Yar, M. K., Channo, A., Kashif, M., Ijaz, M., Subhan, A., Randhawa, N. K., Waqar, Z., Shehzad, A., & Kaka, S. (2023). The role of fish in global food and nutrition security: Current aspects and future prospect. *University of Sindh Journal of Animal Sciences, 7*(4), 23–35. https://doi.org/10.57038/usjas.v7i04.6643

Béné, C., Arthur, R., Norbury, H., Allison, E. H., Beveridge, M., Bush, S., Campling, L., Leschen, W., Little, D., Squires, D., & Thilsted, S. H. (2016). Contribution of fisheries and aquaculture to food security and nutrition. *Global Food Security, 7*, 17–28. https://doi.org/10.1016/j.gfs.2015.12.003

Béné, C., Barange, M., Subasinghe, R., Pinstrup-Andersen, P., Merino, G., Hemre, G.-I., & Williams, M. (2015). Nutrition-sensitive fisheries and aquaculture: Concepts, issues, and evidence. *Food Security, 7*(1), 31–47. https://doi.org/10.1007/s12571-014-0407-5

Blackmore, I., Wamukota, A., Kamau-Mbuthia, E. W., Kawarazuka, N., Krawinkel, M., Byrd, K. A., McLean, E., Talsma, E. F., Byrd, K., & Fiorella, K. J. (2022). Samaki Salama: Promoting healthy child growth and sustainable fisheries in coastal Kenya: A study protocol. *Frontiers in Public Health, 10*, Article 934806. https://doi.org/10.3389/fpubh.2022.934806

Fiorella, K. J., Seto, K., Gavenus, E. R., & Smith, G. (2016). Examining local fish consumption in the globalized Lake Victoria fishery. *FASEB Journal, 30*(S1), Article 894.4. https://doi.org/10.1096/fasebj.30.1_supplement.894.4

Golden, C. D., Allison, E. H., Cheung, W. W. L., Dey, M. M., Halpern, B. S., McCauley, D. J., Smith, M., Vaitla, B., Zeller, D., & Myers, S. S. (2016). Nutrition: Fall in fish catch threatens human health. *Nature, 534*(7607), 317–320. https://doi.org/10.1038/534317a

Gul, S., Shafiq, U., Mir, S. A., Iqbal, G., & Lone, H. Q. (2024). Enhancing global food security through sustainable fisheries and aquaculture: A comprehensive review. *Asian Journal of Agricultural Extension, Economics & Sociology, 42*(10), 1–18. https://doi.org/10.9734/ajaees/2024/v42i102563

Hicks, C. C., Cohen, P. J., Graham, N. A. J., Nash, K. L., Allison, E. H., D'Lima, C., Mills, D. J., Roscher, M., Thilsted, S. H., & Thorne-Lyman, A. L. (2019). Harnessing global fisheries to tackle micronutrient deficiencies. *Nature, 574*(7776), 95–98. https://doi.org/10.1038/s41586-019-1592-6

Indrayani, E. (2023). Pemberdayaan masyarakat pesisir melalui budikdamber untuk ketahanan pangan. *Balobe, 2*(2), 29–38. https://doi.org/10.30598/balobe.2.2.29-38

Islam, M. M., & Chuenpagdee, R. (2013). Sustainable fisheries: A global perspective. *Ocean & Coastal Management, 75*, 1–7. https://doi.org/10.1016/j.ocecoaman.2013.01.002

Kawarazuka, N., & Béné, C. (2011). The potential role of small fish for nutrition security in Africa and Asia. *Food Security, 3*(4), 381–394. https://doi.org/10.1007/s12571-011-0142-1

Martuscelli, A. (2022). The role of fisheries for poverty reduction and food security: Evidence from household-level data. *Review of Development Economics, 26*(4). https://doi.org/10.1111/rode.12855

Mauli, S., Thow, A. M., Mulcahy, G., ... (2023). Opportunities to strengthen fish supply chain policy to improve external food environments for nutrition in the Solomon Islands. *Foods, 12*(4), Article 900. https://doi.org/10.3390/foods12040900

Ojeda-Flores, R., Navarrete, J., & Trujillo-Ortega, M. E. (2025). Todos a bordo: El mar y la sostenibilidad alimentaria. *Revista Digital Universitaria, 26*(4). https://doi.org/10.22201/ceide.16076079e.2025.26.4.7

Sari, S. R., Susanti, L., Kurnia, R. M., ... (2025). Integrasi teknologi pengawetan alami kombinasi pertanian perairan. *Abdi Insani, 12*(11). https://doi.org/10.29303/abdiinsani.v12i11.3089

Thilsted, S. H., Thorne-Lyman, A., Webb, P., Bogard, J. R., Subasinghe, R., Phillips, M. J., & Allison, E. H. (2016). Sustaining healthy diets: The role of capture fisheries and aquaculture for improving nutrition in the post-2015 era. *Food Policy, 61*, 126–131. https://doi.org/10.1016/j.foodpol.2016.02.005

Viana, D., Gill, D., Zvoleff, A., ... (2024). Sustainable-use marine protected areas to improve human nutrition. *Nature Communications, 15*, Article 49830. https://doi.org/10.1038/s41467-024-49830-9